





insulbar® RE – sustainable, reliable, tried and tested a million times over



insulbar RE helps your system achieve true sustainability

Environmentally compatible and resource-saving, climate-friendly construction is in fashion. More and more buildings are being constructed in line with certification systems such as DGNB, LEED or BREEAM. And it is precisely for such projects that, back in 2013, Ensinger invented an insulating profile from 100 % recycled polyamide and was the first to put it on the market.

insulbar RE has successfully established itself: Millions of linear metres of the profiles have been incorporated into buildings and so far several thousand tonnes of CO_2 emissions

have been avoided as a result. With a suitability-tested material in line with EN 14024, an existing EPD and Cradle to Cradle certification in silver, the profile gains points not only with regard to "green" construction but also with its high level of reliability and safe functioning in the long term.

Honoured for protection of the environment and conservation of resources

insulbar insulating profiles stand for highly efficient thermal separation of metal windows, doors and façades; they thereby reduce energy consumption and hence heating costs.

But by using 100 % recycled polyamide, insulbar RE contributes even at the production stage to saving energy and raw materials, reducing CO₂ emissions and improving the ecological balance sheet. Impressive details are provided by the EPD drawn up by the ift Rosenheim in line with EN ISO 14025:2011 and DIN EN 15804:2012+A2:2019.

The perfect match for your product

Are you also – in line with the goals of the A/U/F initiative – already using recycled aluminium? Then take a crucial step further now: insulbar RE gives you the possibility of making your products even "greener" and thereby even more attractive to your customers. Making the switch is easy. This is because existing tools can be used as they always have been and without additional costs.

Know-how and experience instead of experiments

In order to produce high quality recycled profiles with identical properties to conventional insulating bars, reliable supply sources for unmixed recycled material, lots of experience and also a secure command of the upcycling process are necessary – three requirements which Ensinger, as a leading plastics expert with its own compounding facility, fulfils 100 %.

Recycled profiles in optimum quality

The quality of insulbar RE is monitored in accordance with DIN ISO 9001:2015. We guarantee excellent mechanical characteristics, extreme durability and functional reliability built to last.


As individual as your customers' needs

Alongside a wide range of standard versions you can also, if desired, receive insulbar RE as an application-specific, customised product – precisely to your specifications. Naturally delivered on schedule and inclusive of our sound advice and support service.



Less consumption and lower environmental burden – more points with "green" construction!





The outstanding ecological balance of insulbar RE is already apparent at the manufacturing stage. Here it is shown in comparison with a conventional insulating profile from non-recycled polyamide.

insulbar Germany

Ensinger GmbH Rudolf-Diesel-Straße 8 71154 Nufringen Tel. +49 7032 819 0 Fax +49 7032 819 270 insulbar@ensingerplastics.com

Ensinger GmbH Wilfried-Ensinger-Straße 1 93413 Cham Tel. +49 9971 396 0 Fax +49 9971 396 570 insulbar@ensingerplastics.com

insulbar worldwide

France

Ensinger France S.A.R.L. Rue des Petites Combes ZAC des Batterses 01700 Beynost Tel. +33 4 78 55 36 35 Fax +33 4 78 55 68 41 contact@ensinger.fr

Italy

Ensinger Italia S.R.L. Via Franco Tosi 1/3 20020 Olcella di Busto Garolfo Tel. +39 0331 562 111 Fax +39 0331 567 822

rax +39 0331 567 822 insulbar.it@ensingerplastics.com

Spain

Ensinger S.A. Girona, 21-27 08120 La Llagosta Tel. +34 935 74 57 26 Fax +34 935 74 27 30 insulbar@ensinger.es

United Kingdom

Ensinger Building Products Ltd.
Wilfried Way
Tonyrefail
Mid Glamorgan
CF39 8JQ
Tel. +44 1443 678 400
Fax +44 1443 671 153
ebp-uk@ensingerplastics.com

China

Ensinger (China) Co., Ltd. 1F, Building A3 No. 1528 Gumei Road Shanghai 200233 Tel. +86 21 522 851 11 Fax +86 21 522 852 22 info@ensinger-china.com

USA Ensinger Inc.

1 Main St. Grenloch, NJ 08032 Tel. +1 856 227 0500 Fax +1 856 232 1754 insulbar@ensingerusa.com

Ensinger®, TECA®, insulbar® and TECATHERM® are registered trademarks of Ensinger GmbH.